

Scandinavian Journal of Work, Environment & Health

Volume 13, 1987 — CONTENTS

Editor in chief: Sven Hernberg, Helsinki
Assistant editor in chief: Markku Nurminen, Helsinki
Technical editor: Georgianna Oja, Tampere

Co-editors

Irma Åstrand, Stockholm
Børge Fallentin, Copenhagen

Gideon Gerhardtsson, Stockholm
Tor Norseth, Oslo

Editorial board

Antero Aitio, Lyon, France
Ib Andersen, Copenhagen
Kurt Andersson, Umeå
Olav Axelsson, Linköping
Björn Bake, Göteborg
Lars Belin, Göteborg
Maths Berlin, Lund
Erik Bye, Oslo
Karl-Heinz Cöhr, Copenhagen
Gunnar Damgaard Nielsen, Copenhagen
Erik Dybing, Oslo
Christer Edling, Uppsala
Carl Gustaf Elinder, Stockholm
PO Fanger, Copenhagen
Francesco Gamberale, Stockholm
Helgi Guðbergsson, Reykjavik
Bjørn Gylseth, Lillestrøm
Helena Hänninen, Helsinki
Matti Hakama, Tampere
Rolf Hanao, Oslo
Christer Hogstedt, Stockholm
Bo Holmberg, Stockholm
Jörgen Jahr, Oslo
Bengt Jonsson, Umeå
Raija Kalimo, Helsinki
Åsa Kilbom, Stockholm
Bengt Knave, Stockholm
Sverre Langård, Porsgrunn

Jan Lindsten, Stockholm
Kari Lindström, Helsinki
Gunnar Mowé, Oslo
Gunnar Nordberg, Umeå
Henrik Nordman, Helsinki
Hannu Norppa, Helsinki
Magnus Piscator, Stockholm
Ilmari Pyykkö, Helsinki
Vilhjálmur Ráfnsson, Reykjavik
Jorma Rantanen, Helsinki
Christoffer Rappe, Umeå
Vesa Riihimäki, Helsinki
Kåre Rodahl, Oslo
Ragnar Rylander, Göteborg
Jorma Saari, Helsinki
Thomas Schneider, Copenhagen
Anna Maria Seppäläinen, Helsinki
Staffan Skerfving, Lund
Marja Sorsa, Helsinki
Eva Støttrup Hansen, Odense
Lennart Sundell, Örebro
Ole Svane, Copenhagen
Gunnar Thiringer, Göteborg
Yngvar Thomassen, Oslo
Sakari Toia, Helsinki
Ulf Ulfvarson, Stockholm
Harri Vainio, Helsinki
Jan Wahlberg, Stockholm

CONTENTS

Volume 13, number 1, February 1987

Reviews

- 1 Psychological stress experienced by health care personnel RA Leppänen, MA Olkinuora

Original articles

- 9 Phenoxo herbicides and soft-tissue sarcomas in female rice weeder: A population-based case-referent study P Vineis, B Terracini, G Ciccone, A Cignetti, E Colombo, A Donna, L Maffi, R Pisa, P Ricci, E Zanini, P Comba
- 18 Mortality and disability among granite workers R-S Koskela, M Klockars, E Järvinen, PJ Kolari, A Rossi
- 26 Cancer mortality of granite workers R-S Koskela, M Klockars, E Järvinen, PJ Kolari, A Rossi
- 32 Noise-induced hearing loss in relation to vibration-induced white finger in chain-saw workers T Miyakita, H Miura, M Futatsuka
- 37 Circulatory and thermal responses of men with different training status to prolonged physical work in dry and humid heat J Smolander, R Ilmarinen, O Korhonen, I Pyykkö
- 47 Abnormalities of pulmonary function and pleural disease among titanium metal production workers DH Garabrant, LJ Fine, C Oliver, L Bernstein, JM Peters
- 52 Lead exposure during demolition of a steel structure coated with lead-based paints: I Environmental and biological monitoring T Spee, WCM Zwennis
- 56 Lead exposure during demolition of a steel structure coated with lead-based paints: II Reversible changes in the conduction velocity of the motor nerves in transiently exposed workers H Muijsers, EMG Hoogendijk, J Hooisma, DAM Twisk
- 62 Hospital versus population referents in two case-referent studies SE Norell, A Ahlborn

Shorter communications

- 67 Accuracy of work history obtained from a spouse SL Shalat, DC Christiani, EL Baker, Jr
- 70 The healthy worker effect: Selection of workers and work forces T Wilcosky, S Wing

Letters to the Editor

- 73 Re: "Breath analysis: Physiological basis and sampling techniques" by KH Wilson. *Scand J Work Environ Health* 12 (1986) 174-192 F Brugnone
- 73 Author's reply HK Wilson

Reports

- 74 Workshop on priorities for epidemiologic studies on occupational cancer L Simonato

Book reviews

- 76 The effects of whole-body vibration

- 78 Announcements

Volume 13, number 2, April 1987

Reviews

- 81 Pharmacokinetics of organic solvent vapors in relation to their toxicity A Sato, T Nakajima

Original articles

- 94 Mortality of workers exposed to styrene in the manufacture of glass-reinforced plastics D Coggon, C Osmond, B Pannett, S Simmonds, PD Winter, ED Acheson
- 100 Mortality among workers at a uranium processing facility, the Linde Air Products Company Ceramics Plant, 1943-1949 EA Dupree, DL Cragle, RW McLain, DJ Crawford-Brown, MJ Teta
- 108 Mortality of chrome leather tannery workers and chemical exposures in tanneries FB Stern, JJ Beaumont, WE Halperin, LI Murthy, BW Hills, JM Fajen
- 118 Mortality of workers compensated for silicosis during the period 1959-1963 in the Veneto region of Italy P Zambon, L Simonato, G Mastrangelo, R Winkelmann, B Saia, M Crepet
- 124 Mortality among male farmers in Finland during 1979-1983 VJ Notkola, KRH Husman, VJ Laukkanen
- 129 The Copenhagen case-referent study on bladder cancer: Risks among drivers, painters and certain other occupations OM Jensen, J Wahrendorf, JB Knudsen, BL Sørensen
- 135 Effects of lead exposure on pregnancy outcome and the fetal brain of squirrel monkeys B Löfdberg, M Berlin, A Schütz
- 146 Occupation, work load and the size and shape of lumbar vertebral canals H Vanharanta, M Heliövaara, J Korpi, JDG Troup
- 150 Occupational asthma caused by himic anhydride KD Rosenman, DI Bernstein, KO'Leary, JS Gallagher, L D'Souza, IL Bernstein

Letters to the Editor

- 155 Re: "Parental occupation and birth outcome in an agricultural community" by DA Schwartz, LA Newsum, R Markowitz Heifetz, *Scand J Work Environ Health* 12 (1986) 51-54 AC Hexter, JA Harris
155 Author's reply DA Schwartz, R Markowitz Heifetz
156 Increased lung cancer mortality among Norwegian cooks E Lund, J-K Borgan

Abstracts

- 157 Fifth international symposium on epidemiology in occupational health, Los Angeles, 9-11 September 1986

Book reviews

- 188 Indoor air and human health
189 Industrial medicine desk reference
189 Health hazards in electronics: A handbook

Announcements

- 192 Amendments and corrections

Volume 13, number 3, June 1987

Reviews

- 193 Is passive smoking increasing cancer risk? H Vainio

Original articles

- 197 Cancer incidence of workers in the Finnish pulp and paper industry P Jäppinen, T Hakulinen, E Pukkala, S Tola, K Kurppa
203 Respiratory effects of work in retail food stores: I Methodology and exposure assignments DH Wegman, TJ Smith, EA Eisen, IA Greaves, LJ Fine, CS Chelton
209 Respiratory effects of work in retail food stores: II Respiratory symptoms DH Wegman, EA Eisen, TJ Smith, IA Greaves, LJ Fine
213 Respiratory effects of work in retail food stores: III Pulmonary function findings DH Wegman, EA Eisen, TJ Smith, IA Greaves, LJ Fine
218 Lead level of whole blood and plasma in workers exposed to lead stearate A Cavalleri, C Minoia
221 Kinetics of lead in blood after the end of occupational exposure A Schütz, S Skerfving, J Ranstam, J-O Christoffersson
232 Renal function of workers with low-level cadmium exposure M Verschoor, R Herber, J van Hemmen, A Wibowo, R Zielhuis
239 Field study of the urinary excretion of ethoxyacetic acid during repeated daily exposure to the ethyl ether of ethylene glycol and the ethyl ether of ethylene glycol acetate H Veulemans, D Groeseneken, R Masschelein, E Van Vlem
243 Acute effects of whole-body vibration: Stabilography and electrogastrigraphy A Kjellberg, B-O Wikström
247 Mortality in two cohorts of welders exposed to high- and low-levels of hexavalent chromium B Sjögren, A Gustavsson, L Hedström
252 Asbestos-associated lung effects in car mechanics K Marcus, BG Järnholm, S Larsson
255 Comparison of methods used for measuring the electrostatic field of video display terminals S Konttinen, J Juutilainen, T Raunemaa

Shorter communications

- 258 Respiratory cancer among soap production workers F Forastiere, S Valesini, E Salimei, ME Magliola, CA Perucci

Book reviews

- 261 Teaching health statistics: Twenty lesson and seminar outlines
261 Risk and decisions
263 Occupational and environmental chemical hazards
264 Announcements

Volume 13, number 4 (special issue), August 1987

- 265-388 Stockholm Workshop 86: Symptomatology and diagnostic methods in the hand-arm vibration syndrome, Håselby Castle, Stockholm, 21-23 May 1986 guest editor G Gemne

267 Preface

I Classification, symptomatology, clinics and prevalence of the hand-arm vibration syndrome

- 271 Clinical assessment of suspected damage from hand-held vibrating tools L Ekenvall

- 275 **The Stockholm Workshop scale for the classification of cold-induced Raynaud's phenomenon in the hand-arm vibration syndrome (revision of the Taylor-Pelmeur scale)** G Gemne, I Pyykkö, W Taylor, PL Pelmeur
- 279 **Sensorineural stages of the hand-arm vibration syndrome** AJ Brammer, W Taylor, G Lundborg
- 284 **Clinical evaluation of vibration-exposed complainants in field surveys** PL Pelmeur
- 286 **Ergonomics and the effects of vibration in hand-intensive work** TJ Armstrong, LJ Fine, RG Radwin, BS Silverstein
- 290 **Bone and joint pathology in workers using hand-held vibrating tools: An overview** G Gemne, H Saraste
- 301 **Prevention of the hand-arm vibration syndrome** K Saito
- 305 **Longitudinal study of vibration-induced white finger among coastal fallers in British Columbia** RL Brubaker, CJG Mackenzie, C Hertzman, SG Hutton, J Slavov
- II Physiological aspects of the hand-arm vibration syndrome*
- A Circulatory disturbances*
- 309 **Centrally and locally mediated vasomotor activities in Raynaud's phenomenon** N Olsen
- 313 **Pathophysiological aspects of peripheral circulatory disorders in the vibration syndrome** I Pyykkö, G Gemne
- B Neurological disturbances*
- 317 **Vibration-induced neuropathy: Detection by nerve conduction measurements** AJ Brammer, I Pyykkö
- 323 **A new depth-sense esthesiometer: A comparative study on sensitivity** DS Chatterjee
- 326 **Intraneural edema following exposure to vibration** G Lundborg, LB Dahlin, N Danielsen, HA Hansson, LE Necking, I Pyykkö
- III Diagnostic methods*
- A The hand-arm vibration syndrome*
- 330 **Esthesiometry, nail compression, and other function tests used in Japan for evaluating the hand-arm vibration syndrome** N Harada
- 334 **Physiological methods used in Japan for the diagnosis of suspected hand-arm vibration syndrome** T Matoba, T Sakurai
- B Circulatory disturbances*
- 337 **The objective diagnosis of vibration-induced vascular injury** B Arneko-Nobin, K Johansen, T Sjöberg
- 343 **Cold provocation test results from a 1985 survey of hard-rock miners in Ontario** PL Pelmeur, J Roos, D Leong, L Wong
- 348 **Finger thermometry in the assessment of subjects with vibration-induced white finger** M Bovenzi
- 352 **Thermographic assessment of skin temperature during a cold provocation test** H Dupuis
- 356 **Tests employed in Japan for the investigation of peripheral circulatory disturbances due to hand-arm vibration exposure** T Matsumoto
- 358 **Usefulness of blood parameters, especially viscosity, for the diagnosis and elucidation of pathogenic mechanisms of the hand-arm vibration syndrome** A Okada, R Inaba, T Furuno, S Nohara, M Ariizumi
- C Neurological disturbances*
- 363 **Pathogenic and clinical aspects of polyneuropathies, with reference to the hand-arm vibration syndrome** J Juntunen, H Taskinen
- 367 **Clinical neurological methods in the diagnosis of the hand-arm vibration syndrome** M Färkkilä
- 370 **Peripheral neurological assessment methods for workers exposed to hand-arm vibration: An appraisal** T Haines, JP Chong
- 375 **A new principle for assessing vibrotactile sense in vibration-induced neuropathy** G Lundborg, C Soler, T Strömberg, I Pyykkö, B Rosén
- 380 **Assessment of impaired tactile sensation: A pilot study** AJ Brammer, JE Piercy, PL Auger
- 385 **New techniques for the diagnosis of carpal tunnel syndrome** ML Bleeker, J Agnew

Volume 13, number 5, October 1987

Reviews

- 389 **Assessment of concentration peaks in setting exposure limits for air contaminants at workplaces, with special emphasis on narcotic and irritative gases and vapors** U Ulfvarson
- 399 **Association between spontaneous abortion and ergonomic factors: A literature review of the epidemiologic evidence** L Goulet, G Thériault

Original articles

- 404 **Mortality of tar distillation workers** WM Maclaren, JF Hurley
- 412 **Mortality in the Swedish glassworks industry** G Wingren, O Axelsson
- 417 **Risk of astrocytic brain tumors associated with occupational chemical exposures: A case-referent study** TL Thomas, PA Stewart, A Stenham, P Correa, SA Norman, ML Bleeker, RN Hoover
- 424 **Ventilation and organic solvent exposure during car washing** R Niemelä, P Piilä, H Härkönen

- 431 **Exposure to creosote in the impregnation and handling of impregnated wood** PR Heikkilä, M Hämeilä, L Pyy, P Raunu
- 438 **Hydrocarbon exposure from handling jet fuel at some Swedish aircraft units** S Holm, D Norbäck, B Frenning, C-J Göthe
- 445 **Effect of fork-lift truck driving on low-back trouble** T Brendstrup, F Biering-Sørensen
- 453 **Effects of low-dose inhalation of three chlorinated aliphatic organic solvents on deoxyribonucleic acid in gerbil brain** J-E Karlsson, LE Rosengren, P Kjellstrand, KG Haglid
- Letters to the Editor*
- 459 **Preliminary results on smoking patterns for workers attending an asbestos abatement course** JH Lange, DA Weyel, LM Rosato, D Tucker, DE Malek, JA Mayernik, LK Ryan
- 460 **Suicide and exposure to phenoxy acid herbicides** LM Green
- Book reviews*
- 461 **Hexachlorobenzene: Proceedings of an international symposium held at the International Agency for Research on Cancer, Lyon, France, 24—28 June, 1985**
- 463 **Environmental tobacco smoke: Measuring exposures and assessing health effects**
- 464 **Current approaches to occupational health**
- 465 **Psychosocial factors at work and their relation to health**
- 466 **Early detection of occupational diseases**
- 468 *Announcements*

Volume 13, number 6, December 1987

Reviews

- 473 **Waterborne paints: A review of their chemistry and toxicology and the results of determinations made during their use** MK Hansen, M Larsen, K-H Cohr

Original articles

- 486 **Discovering carcinogens in the occupational environment: Methods of data collection and analysis of a large case-referent monitoring system** J Siemiatycki, S Wacholder, L Richardson, R Dewar, M Gérin
- 493 **Associations between several sites of cancer and twelve petroleum-derived liquids: Results from a case-referent study in Montreal** J Siemiatycki, R Dewar, L Nadon, M Gérin, L Richardson, S Wacholder
- 505 **Effects of exposure to vehicle exhaust on health** U Ulfvarson, R Alexandersson, L Aringer, E Svensson, G Hedenstierna, C Hogstedt, B Holmberg, G Rosén, M Sorja
- 513 **Effects of industrial organic solvents on human erythrocyte membrane adenosine triphosphatase activities in vitro** M Korpela, H Tähti
- 518 **Possible causes of increased lung cancer incidence among butchers and slaughterhouse workers** P Gustavsson, E Fellenius, C Hogstedt

Shorter communications

- 524 **Stomach cancer incidence in a cohort of fishermen in Singapore** J Jeyaratnam, J Lee, HP Lee, WO Phoon

Case studies

- 527 **Exposure to fluorocarbons during the filling and repair of air-conditioning systems in cars — A case report** T Åström, A Jonsson, B Järnholm

Letters to the Editor

- 529 **A remark on the article on tannery workers by Stern et al** E Merler, P Ricci
- 529 **Author's reply** FB Stern

Book reviews

- 532 **Occupational health and safety in automation and robotics**
- 533 **Toxicology of metals — Clinical and experimental research**
- 535 *Announcements*

Volume 13, supplement 1, 1987

Åström T, et al: Exposure to fluorocarbons during the filling and repair of air-conditioning systems in cars — A case report	527
Acheson ED: see Coggon et al	94
Agnew S: see Bleecker & Agnew	385
Ahlborn A: see Norell & Ahlborn	62
Alexander S: see Ulfvarson et al	505
Andersen I: Book review of <i>Indoor Air and Human Health</i>	188
Antti-Poika M: Book review of <i>Current Approaches to Occupational Health</i>	464
Arizumi M: see Okada et al	358
Aringer L: see Ulfvarson et al	505
Armstrong TJ et al: Ergonomics and the effects of vibration in hand-intensive work	286
Arneko-Nobin B, et al: The objective diagnosis of vibration-induced vascular injury	337
Auger PL: see Brammer et al	380
Axelsson O: see Wingren & Axelsson	412
Baker EL, Jr: see Shalat et al	67
Beaumont JJ: see Stern et al	108
Bergqvist U: Book review of <i>Occupational Health and Safety in Automation and Robotics</i>	532
Berlin M: see Löfdberg et al	135
Bernstein DI: see Rosenman et al	150
Bernstein IL: see Rosenman et al	150
Bernstein L: see Garabrant et al	47
Biering-Sørensen F: see Brendstrup & Biering-Sørensen	445
Bleecker ML, Agnew J: New techniques for the diagnosis of carpal tunnel syndrome	385
Bleecker ML: see Thomas et al	417
Borgan J-K: see Lund & Borgan	156
Bovenzi M: Finger thermometry in the assessment of subjects with vibration-induced white finger	348
Brammer AJ, et al: Sensorineural stages of the hand-arm vibration syndrome	279
Brammer AJ, Pykkö I: Vibration-induced neuropathy: Detection by nerve conduction measurements	317
Brammer AJ, et al: Assessment of impaired tactile sensation: A pilot study	380
Brendstrup T, Biering-Sørensen F: Effect of fork-lift truck driving on low-back trouble	445
Brubaker RL, et al: Longitudinal study of vibration-induced white finger among coastal fallers in British Columbia	305
Brugnone F: Re: "Breath analysis: Physiological basis and sampling techniques" by KH Wilson. <i>Scand J Work Environ Health</i> 12 (1986) 174—192 (letter to the Editor)	73
Cavalleri A, Minoia C: Lead level of whole blood and plasma in workers exposed to lead stearate	218
Chatterjee DS: A new, depth-sense esthesiometer: A comparative study on sensitivity	323
Chelton CS: see Wegman et al (a)	203
Chong JP: see Haines & Chong	370
Christiani DC: see Shalat et al	67
Christofferson J-O: see Schütz et al	221
Ciccone G: see Vineis et al	9
Cignetti A: see Vineis et al	9
Coggon D, et al: Mortality of workers exposed to styrene in the manufacture of glass-reinforced plastics	94
Cohr K-H: see Hansen et al	473
Colombo E: see Vineis et al	9
Comba P: see Vineis et al	9
Correa P: see Thomas et al	417
Cragle DL: see Dupree et al	100
Crawford-Brown DJ: see Dupree et al	100
Crepet M: see Zambon et al	118
D'Souza L: see Rosenman et al	150
Dahlin LB: see Lundborg et al	326
Danielsen N: see Lundborg et al	326
Dewar R: see Siemiatycki et al (a)	486
Dewar R: see Siemiatycki et al (b)	493
Donna A: see Vineis et al	9
Dupree EA, et al: Mortality among workers at a uranium processing facility, the Linde Air Products Company Ceramics Plant, 1943—1949	100
Dupuis H: Thermographic assessment of skin temperature during a cold provocation test	352
Edström R: Book review of <i>Psychosocial Factors at Work and their Relation to Health</i>	465
Eisen EA: see Wegman et al (a)	203
Eisen EA: see Wegman et al (b)	209
Eisen EA: see Wegman et al (c)	213
Ekenvall L: Clinical assessment of suspected damage from hand-held vibrating tools	271
Färkkilä M: Clinical neurological methods in the diagnosis of the hand-arm vibration syndrome	367
Fajen JM: see Stern et al	108
Fellenius E: see Gustavsson et al	518
Fine LJ: see Garabrant et al	47
Fine LJ: see Wegman et al (a)	203
Fine LJ: see Wegman et al (b)	209
Fine LJ: see Wegman et al (c)	213
Fine LJ: see Armstrong et al	286
Forastiere F, et al: Respiratory cancer among soap production workers	258
Frenning B: see Holm et al	438
Furuno T: see Okada et al	358
Futatsuka M: see Miyakita et al	32
Gallagher JS: see Rosenman et al	150
Garabrant DH, et al: Abnormalities of pulmonary function and pleural disease among titanium metal production workers	47

Gemne G, ed: Stockholm Workshop 86: Symptomatology and diagnostic methods in the hand-arm vibration syndrome, Håsselby Castle, Stockholm, 21-23 May 1986	275
Gemne G, et al: The Stockholm Workshop scale for the classification of cold-induced Raynaud's phenomenon in the hand-arm vibration syndrome (revision of the Taylor-Pelmeur scale)	290
Gemne G, Saraste H: Bone and joint pathology in workers using hand-held vibrating tools: An overview	313
Gemne G: see Pyykkö & Gemne	486
Gérin M: see Siemiatycki et al (a)	493
Gérin M: see Siemiatycki et al (b)	438
Göthe C-J: see Holm et al	399
Goulet L, Thériault G: Association between spontaneous abortion and ergonomic factors: A literature review of the epidemiologic evidence	203
Greaves IA: see Wegman et al (a)	209
Greaves IA: see Wegman et al (b)	213
Greaves IA: see Wegman et al (c)	460
Green LM: Suicide and exposure to phenoxy acid herbicides	239
Groeseneken D: see Veulemans et al	247
Gustavsson A: see Sjögren et al	518
Gustavsson P, et al: Possible causes of increased lung cancer incidence among butchers and slaughterhouse workers	431
Hämälä M: see Heikkilä et al	424
Härkönen H: see Niemelä et al	453
Haglid KG: see Karlsson et al	370
Haines T, Chong JP: Peripheral neurological assessment methods for workers exposed to hand-arm vibration: An appraisal	197
Hakulinen T: see Jäppinen et al	108
Halperin WE: see Stern et al	473
Hansen MK, et al: Waterborne paints: A review of their chemistry and toxicology and the results of determinations made during their use	326
Hansson HA: see Sundborg et al	330
Harada N: Esthesiometry, nail compression, and other function tests used in Japan for evaluating the hand-arm vibration syndrome	155
Harris JA: see Hextler & Harris	505
Hedenstierna G: see Ulfvarson et al	247
Hedström L: see Sjögren et al	431
Heikkilä PR, et al: Exposure to creosote in the impregnation and handling of impregnated wood	146
Heliövaara M: see Vanharanta et al	232
Herber R: see Verschoor et al	305
Hertzman C: see Brubaker et al	155
Hextler AC, Harris JA: Re: "Parental occupation and birth outcome in an agricultural community" by DA Schwartz, LA Newsum, R Markowitz Heifetz, <i>Scand J Work Environ Health</i> 12 (1986) 51-54 (letter to the Editor)	108
Hills BW: see Stern et al	505
Hogstedt C: see Ulfvarson et al	518
Hogstedt C: see Gustavsson et al	438
Holm S, et al: Hydrocarbon exposure from handling jet fuel at some Swedish aircraft units	505
Holmberg B: see Ulfvarson et al	56
Hoogendijk EMG: see Muijsers et al	56
Hooisma J: see Muijsers et al	417
Hoover RN: see Thomas et al	404
Hurley JF: see MacLaren & Hurley	124
Husman KRH: see Notkola et al	305
Hutton SG: see Brubaker et al	37
Ilmarinen R: see Smolander et al	358
Inaba R: see Okada et al	197
Jäppinen P, et al: Cancer incidence of workers in the Finnish pulp and paper industry	527
Järholm B: see Åström et al	252
Järholm BG: see Marcus et al	18
Järvinen E: see Koskela et al (a)	26
Järvinen E: see Koskela et al (b)	129
Jensen OM, et al: The Copenhagen case-referent study on bladder cancer: Risks among drivers, painters and certain other occupations	suppl 1
Jensen OM: see Olsen & Jensen	524
Jeyaratnam J, et al: Stomach cancer incidence in a cohort of fishermen in Singapore	337
Johansen K: see Arneko-Nobin et al	527
Jonsson A: see Åström et al	363
Juntunen J, Taskinen H: Pathogenic and clinical aspects of polyneuropathies, with reference to the hand-arm vibration syndrome	255
Juutilainen J: see Kontinen et al	453
Karlsson J-E, et al: Effects of low-dose inhalation of three chlorinated aliphatic organic solvents on deoxyribonucleic acid in gerbil brain	189
Kauppinen T: Book review of <i>Health Hazards in Electronics: A Handbook</i>	243
Kjellberg A, Wikström B-O: Acute effects of whole-body vibration: Stabilography and electrogastrography	453
Kjellstrand P: see Karlsson et al	18
Klockars M: see Koskela et al (a)	26
Klockars M: see Koskela et al (b)	129
Knudsen JB: see Jensen et al	18
Kolari PJ: see Koskela et al (a)	26
Kolari PJ: see Koskela et al (b)	26
Kolmodin-Hedman B: Book review of <i>Early Detection of Occupational Diseases</i>	466
Kontinen S, et al: Comparison of methods used for measuring the electrostatic field of video display terminals	255
Korhonen O: see Smolander et al	37
Korpela M, Tähti H: Effects of industrial organic solvents on human erythrocyte membrane adenosine triphosphatase activities in vitro	513
Korpi J: see Vanharanta et al	146

Koskela R-S, et al (a): Mortality and disability among granite workers	18
Koskela R-S, et al (b): Cancer mortality of granite workers	26
Kurppa K: see Jäppinen et al	197
Lange JH, et al: Preliminary results of smoking patterns for workers attending an asbestos abatement course	459
Larsen M: see Hansen et al	473
Larsson S: see Marcus et al	252
Laukkanen VJ: see Notkola et al	124
Lee HP: see Jeyaratnam et al	524
Lee J: see Jeyaratnam et al	524
Leong D: see Peimear et al	343
Leppänen RA, Olkinuora MA: Psychological stress experienced by health care personnel	1
Lögdberg B, et al: Effects of lead exposure on pregnancy outcome and the fetal brain of squirrel monkeys	135
Lund E, Borgan J-K: Increased lung cancer mortality among Norwegian cooks (letter to the Editor)	156
Lundborg G: see Brammer et al	279
Lundborg G, et al: Intraneural edema following exposure to vibration	326
Lundborg G, et al: A new principle for assessing vibrotactile sense in vibration-induced neuropathy	375
Mackenzie CJG: see Brubaker et al	305
MacLaren WM, Hurley JF: Mortality of tar distillation workers	404
Maffi L: see Vineis et al	9
Magliola ME: see Forastiere et al	258
Malek DE: see Lange et al	459
Marcus K, et al: Asbestos-associated lung effects in car mechanics	252
Markowitz Heifetz R: see Schwartz & Markowitz Heifetz	155
Masschelein R: see Veulemans et al	239
Mastrangelo G: see Zambon et al	118
Matoba T, Sakurai T: Physiological methods used in Japan for the diagnosis of suspected hand-arm vibration syndrome	334
Matsumoto T: Tests employed in Japan for the investigation of peripheral circulatory disturbances due to hand-arm vibration exposure	356
Mayernik JA: see Lange et al	459
McLain RW: see Dupree et al	100
Merler E, Ricci P: A remark on the article on tannery workers by Stern et al (letter to the Editor)	529
Minoia C: see Cavalleri & Minoia	218
Miura H: see Miyakita et al	32
Miyakita T, et al: Noise-induced hearing loss in relation to vibration-induced white finger in chain-saw workers	32
Muijsers H, et al: Lead exposure during demolition of a steel structure coated with lead-based paints: II Reversible changes in the conduction velocity of the motor nerves in transiently exposed workers	56
Murthy LI: see Stern et al	108
Nadon L: see Siemiatycki et al (b)	493
Nakajima T: see Sato & Nakajima	81
Necking LE: see Lundborg et al	326
Niemelä R, et al: Ventilation and organic solvent exposure during car washing	424
Nohara S: see Okada et al	358
Norbäck D: see Holm et al	438
Norell SE, Ahlborn A: Hospital versus population referents in two case-referent studies	62
Norman SA: see Thomas et al	417
Norseth T: Book review of <i>Toxicology of Metals — Clinical and Experimental Research</i>	535
Notkola VJ, et al: Mortality among male farmers in Finland during 1979—1983	124
Nurminen M: Book review of <i>Teaching Statistics: Twenty Lesson and Seminar Outlines</i>	261
O'Leary K: see Rosenman et al	150
Okada A, et al: Usefulness of blood parameters, especially viscosity, for the diagnosis and elucidation of pathogenic mechanisms of the hand-arm vibration syndrome	358
Oliver C: see Garabrant et al	47
Olkinuora MA: see Leppänen & Olkinuora	1
Olsen JH, Jensen OM: Occupation and risk of cancer in Denmark: An analysis of 93 810 cases, 1970—1979	suppl 1
Olsen N: Centrally and locally mediated vasomotor activities in Raynaud's phenomenon	309
Osmond C: see Coggon et al	94
Pannet B: see Coggon et al	94
Peimear PL: see Gemne et al	275
Peimear PL: Clinical evaluation of vibration-exposed complainants in field surveys	284
Peimear PL, et al: Cold provocation test results from a 1985 survey of hard-rock miners in Ontario	343
Perucci CA: see Forastiere et al	258
Peters JM: see Garabrant et al	47
Präflfi P: see Niemelä et al	424
Phoon WO: see Jeyaratnam et al	524
Piercy JE: see Brammer et al	380
Pisa R: see Vineis et al	9
Pukkala E: see Jäppinen et al	197
Pyy L: see Heikkilä et al	431
Pyykkö I: see Smolander et al	27
Pyykkö I: see Gemne et al	275
Pyykkö I, Gemne G: Pathophysiological aspects of peripheral circulatory disorders in the vibration syndrome	313
Pyykkö I: see Brammer & Pyykkö	317
Pyykkö I: see Lundborg et al	326
Pyykkö I: see Lundborg et al	375
Radwin RG: see Armstrong et al	286
Ranstam J: see Schütz et al	221
Raunemaa T: see Kontinen et al	255
Raunu P: see Heikkilä et al	431
Ricci P: see Vineis et al	9
Ricci P: see Merler & Ricci	529
Richardson L: see Siemiatycki et al (a)	486
Richardson L: see Siemiatycki et al (b)	493

Rimington C: Book review of <i>Hexachlorobenzene: Proceedings of an International Symposium held at the International Agency for Research on Cancer, Lyon, France, 24-28 June, 1985</i>	461
Roos J: see Pelmeur et al	343
Rosato LM: see Lange et al	459
Rosengren LE: see Karlsson et al	453
Rosenman KD, et al: Occupational asthma caused by himic anhydride	150
Rossi A: see Koskela et al (a)	18
Rossi A: see Koskela et al (b)	26
Rosén B: see Lundborg et al	375
Rosén G: see Ulfvarson et al	505
Ryan LK: see Lange et al	459
Saari J: Book review of <i>Risk and Decisions</i>	261
Saia B: see Zamboni et al	118
Saito K: Prevention of the hand-arm vibration syndrome	301
Sakurai T: see Matoba & Sakurai	334
Salmei E: see Forastiere et al	258
Saraste H: see Gemne & Saraste	290
Sato A, Nakajima T: Pharmacokinetics of organic solvent vapors in relation to their toxicity	81
Savolainen H: Book review of <i>Occupational and Environmental Chemical Hazards</i>	263
Schütz A: see Lögdberg et al	135
Schütz A, et al: Kinetics of lead in blood after the end of occupational exposure	221
Schwartz DA, Markowitz Heifetz R: Authors' reply (letter to the Editor)	155
Shalat SL, et al: Accuracy of work history obtained from a spouse	67
Siemiatycki J, et al (a): Discovering carcinogens in the occupational environment: Methods of data collection and analysis of a large case-referent monitoring system	486
Siemiatycki J, et al (b): Associations between several sites of cancer and twelve petroleum-derived liquids: Results from a case-referent study in Montreal	493
Slivstein BS: see Armstrong et al	286
Simmonds S: see Coggon et al	94
Simonato L: Workshop on priorities for epidemiologic studies on occupational cancer (report)	74
Simonato L: see Zamboni et al	118
Sjöberg T: see Arneko-Nobin et al	337
Sjögren B, et al: Mortality in two cohorts of welders exposed to high- and low-levels of hexavalent chromium	247
Skerfving S: see Schütz et al	221
Slakov J: see Brubaker et al	305
Smith TJ: see Wegman et al (a)	203
Smith TJ: see Wegman et al (b)	209
Smith TJ: see Wegman et al (c)	213
Smolander J, et al: Circulatory and thermal responses of men with different training status to prolonged physical work in dry and humid heat	37
Sørensen BL: see Jensen et al	129
Sollerman C: see Lundborg et al	375
Sorsa M: Book review of <i>Environmental Tobacco Smoke: Measuring Exposures and Assessing Health Effects</i>	463
Sorsa M: see Ulfvarson et al	505
Spee T, Zwennis WCM: Lead exposure during demolition of a steel structure coated with lead-based paints: I Environmental and biological monitoring	52
Sternhagen A: see Thomas et al	417
Stern FB, et al: Mortality of chrome leather tannery workers and chemical exposures in tanneries	108
Stern FB: Author's reply (letter to the Editor)	530
Stewart PA: see Thomas et al	417
Strömberg T: see Lundborg et al	375
Svensson E: see Ulfvarson et al	505
Taskinen H: see Juntunen & Taskinen	363
Taylor W: see Gemne et al	275
Taylor W: see Brammer et al	279
Terracini B: see Vineis et al	9
Teta MJ: see Dupree et al	100
Thomas TL, et al: Risk of astrocytic brain tumors associated with occupational chemical exposures: A case referent study	417
Thériault G: see Goulet & Thériault	399
Tola S: see Jäppinen et al	197
Troup JDG: see Vanharanta et al	146
Tucker D: see Lange et al	459
Twisk DAM: see Muijsers et al	56
Tähti H: see Korpela & Tähti	513
Ulfvarson U: Assessment of concentration peaks in setting exposure limits for air contaminants at workplaces, with special emphasis on narcotic and irritative gases and vapors	389
Ulfvarson U, et al: Effects of exposure to vehicle exhaust on health	505
Vaaranen V: Book review of <i>Industrial Medicine Desk Reference</i>	189
Vainio H: Is passive smoking increasing cancer risk?	193
Valesini S: see Forastiere et al	258
van Hemmen J: see Verschoor et al	232
van Vliet E: see Veulemans et al	239
Vanharanta H, et al: Occupation, work load and the size and shape of lumbar vertebral canals	146
Verschoor M, et al: Renal function of workers with low-level cadmium exposure	232
Veulemans H: Field study of the urinary excretion of ethoxyacetic acid during repeated daily exposure to the ethyl ether of ethylene glycol and the ethyl ether of ethylene glycol acetate	239
Vineis P, et al: Phenox herbicides and soft-tissue sarcomas in female rice weeder: A population-based case-referent study	9
Wacholder S: see Siemiatycki et al (a)	486
Wacholder S: see Siemiatycki et al (b)	493
Wahrendorf J: see Jensen et al	129
Wegman DH, et al (a): Respiratory effects of work in retail food stores: I Methodology and exposure assignments	203

Wegman DH, et al (b): Respiratory effects of work in retail food stores: II Respiratory symptoms	209
Wegman DH, et al (c): Respiratory effects of work in retail food stores: III Pulmonary function findings	213
Weyel DA: see Lange et al	459
Wibowo A: see Verschoor et al	232
Wikström G: Book review of <i>The Effects of Whole-Body Vibration</i>	76
Wikström B-O: see Kjellberg & Wikström	243
Wilcosky T, Wing S: The healthy worker effect: Selection of workers and work forces	70
Wilson, HK: Author's reply (letter to the Editor)	73
Wing S: see Wilcosky & Wing	70
Wingren G, Axelsson O: Mortality in the Swedish glass-works industry	412
Winkelmann R: see Zambon et al	118
Winter PD: see Coggon et al	94
Wong L: see Pelemear et al	343
Zambon P, et al: Mortality of workers compensated for silicosis during the period 1959—1963 in the Veneto region in Italy	118
Zanini E: see Vineis et al	9
Zielhuis R: see Verschoor et al	232
Zwennis WCM: see Spee & Zwennis	52

INDEX OF KEY TERMS

- 1,1,1-Trichloroethane, 453
- Abatement course, 459
- Abattoir, 518
- Abnormalities, 47
- Acceleration, 305
- Acid anhydride, 150
- Acquired color vision loss, 185
- Acrylonitrile, 417
- Action potentials, 317
- Acute effects, 243
- Acute poisoning, 186
- Adenosine triphosphatase activities, 513
- Adjustment, 169
- Adults, 173
- Age-smoking interactions, 182
- Aging effect, 330
- Agricultural community, 155
- Agricultural herbicide use, 177
- Air contaminants, 389
- Air-conditioning system, 186, 527
- Aircraft, 438
- Aircraft manufacturing employees, 170
- Aircraft units, 438
- Airflow rate, 424
- Alcohol intake, 185
- Alcohols, 513
- Aliphatic chlorinated hydrocarbons, 513
- Aluminum reduction plant workers, 179
- Alveolar air, 164
- Analysis, 486
- Antivibration, 305
- Appraisal, 370
- Aromatic hydrocarbons, 513
- Arsenic, 183
- Asbestos, 162, 459
- Asbestos abatement course, 459
- Asbestos pulmonary effects, 173
- Asbestos-associated lung effects, 252
- Asbestos-cement workers, 170, 172
- Asbestos-related, 172
- Asbestosis, 252
- Assessment, 375, 380, 389
- Assessment of subjects, 348
- Association, 399, 417, 493
- Asthma, 150
- Astrocytic brain tumors, 417
- Audiometry, 284
- Australian epidemiology, 178
- Back disorders, 165
- Back pain, 146
- Bartenders, 184
- Benzene, 438
- Bioavailability of lead, 218
- Biocides, 473
- Biological exposure limits, 232
- Biological monitoring, 52, 239
- Birth defects, 159, 160
- Birth outcome, 155
- Bladder cancer, 129, 182, 404
- Blood, 164
- Blood parameters, 358
- Blood viscosity, 358
- Blood-nerve barrier, 326
- Body temperature, 37
- Bone cysts, 290
- Bone pathology, 290
- Brain, 453
- Brain tumor risk, 180
- Breath analysis, 73
- British Columbia, 305
- Butchers, 518
- Cadmium fume, 174
- Cancer, 108, 163, 170, 493, suppl 1
- Cancer incidence, 180, 181, 197
- Cancer mortality, 26
- Cancer referents, 167
- Cancer risk, 193
- Cancer screening, 175
- Cancers of the digestive tract, 166
- Car mechanics, 252
- Car washing, 424
- Carbon tetrachloride poisoning, 186
- Carcinogenesis, 486, 493
- Carcinogens, 486
- Cardiac ischemic diseases, 178
- Cardiovascular disease, 412
- Cardiovascular system, 284
- Carpal tunnel symptoms, 165, 286, 317, 367, 385
- Cars, 527
- Case report, 527
- Case-control study, 9, 62, 412, 417
- Case-referent monitoring system, 486
- Case-referent study, 9, 62, 129, 164, 165, 166, 167, 182, 183, 412, 417, 493
- Causes of death, 181
- Causes, 518
- Cement workers, 172
- Central circulation, 37
- Central vasomotor tone, 313
- Chain saw, 305
- Chain-saw workers, 32
- Chemical, 129
- Chemical exposures, 108, 529
- Chemical manufacturing, 417
- Chemistry, 473
- China, 172
- Chinese, 177
- Chlorinated aliphatic organic solvents, 453
- Chlorophenolate exposure, 157
- Chrome leather tannery workers, 108
- Chromium-plating workers, 179
- Chronic inhalation, 453
- Chrysotile fiber, 170
- Cigarette smoking, 164
- Circulatory responses, 37
- Classification, 275
- Clinical aspects, 363
- Clinical assessment, 271
- Clinical evaluation, 284
- Clinical features, 330
- Clinical findings, 385
- Clinical neurological methods, 367
- Clinical report, 186
- Clinical tests, 284
- Coastal fallers, 305
- Cohort, 524
- Cohort mortality study, 181
- Cohort study, 26, 18, 162, 179, 197, 247, 258
- Cold provocation, 356
- Cold provocation test, 271, 330, 334, 343, 348, 352
- Cold-induced, 275
- Cold-induced vasospasm, 337
- Colon cancer, 412
- Comparative study, 323
- Comparison, 171
- Computerized tomography, 385
- Concentration peaks, 389
- Conduction velocity, 56
- Consequences, 163
- Construction workers, 162
- Continine, 193
- Cooks, 156
- Copenhagen, 129
- Correlation, 164
- Cotton dust exposure, 177
- Cotton workers, 177
- Course of pregnancy, 159, 160
- Creosote, 431
- Cross allergenicity, 150
- Cross-sectional studies, 169
- Cumulative exposure, 183
- Cytogenetic study, 167
- DNA, 453
- Data collection, 486
- Data linkage, 161
- Death certificates, 175
- Demolition workers, 56
- Demolition work, 52, 56
- Denmark, suppl 1
- Deoxyribonucleic acid, 453
- Depth sense, 323
- Descriptive study, suppl 1
- Design, 184
- Detailed work histories, 167
- Determinations, 473
- Diagnosis, 271, 334, 358, 363, 367, 385
- Diagnostic significance, 330
- Diagnostic tests, 370
- Dial test indicator, 323
- Diesel, 493
- Dietary factors, 81
- Digestive tract, 170
- Digital circulation, 348
- Digital peak indicator, 323
- Diphenyl, 431
- Disability, 18
- Driving, 129
- Dry cleaner workers, 181
- Dry heat, 37
- Effect, 445, 453, 505, 513
- Effects of response bias, 183
- Effects of vibration, 286
- Effort-dependent tests, 158
- Elbow, 290
- Electrical industry, 180
- Electrodiagnostic studies, 385
- Electrogastronomy, 243
- Electromyography, 323
- Electroneurography, 271, 317
- Electroneuromyography, 367
- Electronics industry, 180
- Electrostatic field, 255
- Electrostatic measurements, 255
- Elucidation, 358
- Emphysema, 174
- Endoneurial fluid pressure, 326
- Endotoxin exposure, 177
- Engine exhaust, 505
- Environmental cancer research, suppl 1
- Environmental concentration, 164
- Environmental monitoring, 52, 239
- Epidemiologic evidence, 399
- Epidemiologic methods, 26, 67, 167, 486
- Epidemiologic nature, 165
- Epidemiologic research, 157, 163, 176
- Epidemiologic study, 74, 94, 164
- Epidemiologic, 197
- Epidemiology, 146, 176, 178, 258, 524
- Epidemiology in occupational health, 157—187
- Ergonomic factors, 399
- Ergonomics, 286
- Esthesiometer, 279, 323, 380
- Esthesiometry, 330
- Ethanol, 81
- Ethics, 178
- Ethoxyacetic acid, 239
- Ethyl ether of ethylene glycol, 239
- Ethyl ether of ethylene glycol acetate, 239
- Ethylene dibromide, 167
- Excess deaths, 182
- Expected mortality, 171
- Experimental, 197
- Experimental study, 453
- Exposed workers, 94, 370
- Exposure, 326, 431, 460, 505

- Exposure assessment, 157, 203
- Exposure data, 167
- Exposure limits, 389
- Exposure measurements, 163
- External radiation, 100
- Farmers, 124
- Farming, 166
- Fatal occupational injuries, 175
- Fetal brain, 135
- Field study, 239
- Field surveys, 284
- Filling, 527
- Finger circulation, 313
- Finger rewarming, 348
- Finger skin temperature, 343, 348
- Finger thermometry, 348, 352
- Finland, 124, 159, 197
- Fire fighters, 165
- Fishermen, 524
- Flame retardants, 150
- Fluorocarbons, 527
- Follow-up, 172
- Forestry workers, 32
- Fork-lift truck driving, 445
- Formaldehyde, 417
- France, 179
- Function tests, 330
- Furniture workers, 167
- Gas chromatography, 438
- Gases, 389
- Gastrointestinal cancer, 18, 26
- General Motors mortality register, 186
- General population, 173
- Genetic risk factors, 182
- Genotoxicity, 505
- Gerbil, 453
- Gerbil brain, 453
- Glass-reinforced plastics, 94
- Glassworks industry, 412
- Glomerular function parameters, 232
- Granite dust, 26
- Granite workers, 18, 26
- Grip strength, 284, 334
- Half-time, 221
- Hand, 290
- Hand-arm vibration, 32, 286, 290, 370
- Hand-arm vibration exposure, 356
- Hand-arm vibration syndrome, 275, 279, 301, 334, 358, 363, 367
- Hand-held vibrating tools, 271, 275, 290
- Hand-intensive work, 286
- Handling work, 431, 438
- Hard-metal workers, 177, 182
- Hard-rock miners, 343
- Headache, 473
- Health, 505
- Health care personnel, 1
- Health effects, 176
- Health services, 129
- Healthy worker effect, 70, 168
- Healthy worker selection effect, 169
- Healthy worker survivor effect, 169
- Heart disease, 527
- Heat stress indices, 37
- Heavy lifting, 399
- Heavy metals, 412
- Hemolytic changes, 161
- Hexane, 438
- High-level hexavalent chromium exposure, 247
- High-risk cohort, 175
- Himic anhydride, 150
- Hospital referents, 62
- Hot dry environment, 37
- Human carcinogen, 160
- Human erythrocyte membrane, 513
- Humid heat, 37
- Hydrocarbon exposure, 438
- Hydrocarbons, 431
- Immunotoxicology of silica, 18
- Impaired tactile sensation, 380
- Impregnated wood, 431
- Impregnation, 431
- In vitro, 513
- Increased cancer incidence, 518
- Industrial hygiene, 52
- Industrial organic solvents, 513
- Industries at risk, 168
- Industry, 47
- Infections, 176
- Information bias, 62
- Infrared thermography, 352
- Inhalation, 174
- Injuries, 176
- Institutional care workers, 176
- Internal radiation, 100
- Internal reference, 162
- Interpretation, 184
- Intimal thickening, 358
- Intraneural edema, 326
- Intraneural microcirculation, 326
- Intrauterine growth retardation, 135
- Iron and metal, 129
- Irritation, 473
- Irritative gases, 389
- Irritative vapors, 389
- Ischemic heart disease, 404
- Isopropyl nitrate, 438
- Italy, 118
- Japan, 330, 334, 356
- Jet fuel, 438
- Joint load, 290
- Joint pathology, 290
- Karyotype, 160
- Kienböck's disease, 290
- Kinetics, 221
- Laryngeal cancer, 100, 258
- Latex paint, 473
- Law, 178
- Lead exposure, 52, 56, 135, 161
- Lead in blood, 218, 221
- Lead in plasma, 218
- Lead stearate, 218
- Lead-based paint, 52, 56
- Letter, 459, 460, 529
- Leukemia, 94
- Likelihood ratios, 370
- Limit values, 389
- Limitations, 167
- Local vibration, 358
- Longitudinal study, 305
- Loss of life expectancy, 182
- Low-back trouble, 445
- Low-dose inhalation, 453
- Low-level cadmium exposure, 232
- Low-level hexavalent chromium exposure, 247
- Lubricating oils, 417
- Lumbar vertebral canals, 146
- Lung, 174
- Lung cancer, 18, 26, 94, 118, 158, 181, 197, 404, 412, 459, 518
- Lung cancer mortality, 156, 169
- Lung cancer risk, 183
- Lung diseases, 47
- Lung function, 172, 252
- Lung neoplasms, 493
- Lymphoma, 94, 177
- Machine-shop workers, 180
- Macrencephaly, 135
- Man-made mineral fibers, 162
- Manipulative dexterity, 279
- Manual work, 290
- Measuring method, 255
- Meat smoking, 518
- Meat wrapper's asthma, 203, 209, 213
- Median nerve, 56, 367
- Mediated vasomotor activities, 309
- Medical history, 284
- Membrane effect, 513
- Metabolic model, 221
- Metabolism, 81
- Methodology, 174, 182, 203
- Methods, 486
- Methylene chloride, 453
- Micrencephaly, 135
- Modified life table, 524
- Monomers, 473
- Montreal, 493
- Mortality, 18, 70, 94, 100, 108, 118, 124, 167, 170, 176, 177, 178, 179, 181, 247, 404, 412, 529
- Mortality register, 186
- Mortality study, 161
- Motor nerves, 56
- Multicentric study, 162
- Multidimensional analysis, 184
- Multiple regression, 173
- Murder, 168
- Mutagenicity, 505
- Nail compression, 330
- Nail compression test, 334, 356
- Naphthalene, 431
- Narcotic gases, 389
- Narcotic vapors, 389
- Neoplasms, 486, 493
- Nerve conduction measurements, 317
- Nerve edema, 326
- Nerve entrapment, 367
- Nerve injury, 271
- Nervous system, 185
- Neurobehavioral symptoms, 184
- Neurological tests, 284
- Neuropathy, 367
- Neurotoxicology, 135
- New York State, 161
- New data source, 182
- New principle, 375
- New risk index number, 176
- New technique, 385
- Nickel, 258
- Nicotine, 271
- Noise, 32
- Noise exposure, 160
- Noise-induced hearing loss, 32
- Non-Hodgkin's lymphoma, 166
- Nonneutral postures, 164, 165
- Nonparametric approach, 182
- Nonpatient contact activities, 186
- Nonresponse rate, 62
- Norway, 156
- Nuclear weapons fabrication workers, 170
- Numbness, 279
- Nurses, 186
- Objective diagnosis, 337
- Objective tests, 279
- Occupation, 70, 146, 158, 182, 252, 404, suppl 1
- Occupational, 438
- Occupational accidents, 176
- Occupational asthma, 150, 169
- Occupational back pain, 186
- Occupational cancer, 74, 167, 524
- Occupational carcinogens, 529
- Occupational chemical exposures, 417
- Occupational cohort data, 167
- Occupational disease, 47, 174, 175, 486, 493
- Occupational environment, 486
- Occupational epidemiology, 157, 163
- Occupational exposure, 9, 67, 108, 161, 172, 173, 176, 221, 232, 258, 459, 527
- Occupational exposure limits, 389
- Occupational hygiene, 52, 424, 438
- Occupational mortality, 184
- Occupational risk factors, 170, 182
- Occupational settings, 159
- Occupational vibration exposure, 375
- Occupations at risk, 168
- Ohio, 182
- Oil, 493
- Ontario, 163, 343
- Ordinal response data, 159
- Organic solvent exposure, 424
- Organic solvent vapors, 81
- Organic solvents, 417
- Organofluoric plastics, 186
- Osteoarthritis, 18
- Osteoarthrosis, 290
- Overview, 290
- PAH, 518

- Pain sense, 334
- Painters, 181
- Painting, 129
- Paper industry, 197
- Parental occupation, 155, 160
- Partition coefficient, 81
- Passive smoking, 193
- Pathogenesis, 363
- Pathogenic aspects, 363
- Pathogenic mechanisms, 358
- Pathophysiological aspects, 313
- Pathophysiology, 309
- People's Republic of China, 172
- Perchloroethylene, 181, 453
- Peripheral circulation, 37
- Peripheral circulatory disturbances, 313, 356
- Peripheral neurological methods, 370
- Peripheral neuropathy, 326
- Peripheral resistance, 313
- Persons at risk, 168
- Pesticide exposure, 159, 166
- Pesticides, 176
- Petroleum, 493
- Petroleum refining, 417
- Petroleum-derived liquids, 493
- Pharmacokinetics, 81
- Phenolic compounds, 417
- Phenoxy acid herbicides, 460
- Phenoxy herbicides, 9
- Physical effort, 399
- Physical examination, 284
- Physical fitness, 37
- Physician-based surveillance, 174
- Physiological basis, 73
- Physiological methods, 334
- Piece work, 399
- Pilot study, 166, 380
- Pinch strength, 334
- Plasma, 218
- Plastic pyrolysis products, 203, 209, 213
- Pleural disease, 47
- Pleural plaques, 172, 252
- Pneumoconiosis, 47
- Pneumonia, 100
- Police officers, 176
- Polycyclic aromatic hydrocarbons, 417, 431, 518
- Polynuropathies, 363
- Polyvinyl chloride, 203, 209, 213
- Polyvinyl chloride workers, 172
- Population referents, 62
- Population-based study, 9
- Postural control, 243
- Posture, 399
- Potential disease rate reductions, 159
- Potential wood fiber exposure, 166
- Precision direct current motor, 323
- Predictors, 165
- Pregnancy, 399
- Pregnancy outcome, 135
- Prenatal, 135
- Prevalence, 165, 301
- Prevention, 301
- Primary aluminum production workers, 178
- Primary Raynaud's phenomenon, 309
- Primate, 135
- Printing factory, 186
- Prolonged exercise, 37
- Prolonged physical work, 37
- Prostrate neoplasms, 493
- Psychological stress, 1
- Pulmonary abnormalities, 177
- Pulmonary function, 47, 203, 213, 505
- Pulmonary tumors, 247
- Pulp industry, 197
- Pyrolytic products, 186
- Qualitative exposure estimates, 163
- Questionnaire, 284
- Questionnaire survey, 445
- Radiographic ordinal response data, 159
- Radiological changes, 174
- Rat, 326
- Raynaud's phenomenon, 271, 275, 309, 337, 343, 356, 358
- Receptor sensitivity, 313, 375
- Record linkage, 67, suppl 1
- Recovery time, 348
- Refractory brick plant, 162
- Reliability, 163
- Reliability study, 157
- Renal function, 232
- Repair, 527
- Repeated daily exposure, 239
- Reply, 529
- Reproducibility, 330
- Reproductive effects, 160, 161
- Research, engineering and metal fabrication facility, 161
- Respiratory cancer, 162, 258
- Respiratory disease, 18, 100
- Respiratory effects, 203, 209, 213
- Respiratory findings, 173
- Respiratory symptoms, 209
- Retail food stores, 203, 209, 213
- Retrospective, 181
- Retrospective study, 108
- Reversible changes, 56
- Review, 81, 176, 193, 389, 399, 473
- Rheumatoid arthritis, 18
- Rice growing, 9
- Rice weeder, 9
- Risk, 177, 417, 459, suppl 1
- Role ambiguity, 1
- Role conflicts, 1
- Room temperature, 356
- Royal misruling, 178
- Rubber, 129
- Sampling techniques, 73
- Sawmill workers, 157
- Scaphoid pseudarthrosis, 290
- Science, 178
- Seasonal farm workers, 166
- Seasonal variation, 330
- Selection, 70, 169
- Selection bias, 62, 158
- Sensibility, 271
- Sensitivity, 175, 323, 330
- Sensitizers, 473
- Sensorineural stages, 279
- Seveso, 157
- Shift work, 159, 399
- Shipyard workers, 180
- Shoulder disorders, 164
- Siccatives, 473
- Sideways trunk-bending, 445
- Silica, 118, 172
- Silicon carbide workers, 174
- Silicosis, 18, 26, 118
- Silicotics, 163
- Silk-screen printing, 239
- Singapore, 524
- Skin temperature, 334, 352
- Slaughterhouse workers, 518
- Smelter workers, 183
- Smoking, 118, 337
- Smoking patterns, 459
- Soap production workers, 258
- Socioeconomic status, 70
- Soft-tissue sarcoma, 9, 177
- Solvent-exposed workers, 185
- Solvents, 67, 438, 473
- Specificity, 175, 330
- Spontaneous abortion, 160, 399
- Spouse, 67
- Spray finishing, 424
- Squirrel monkeys, 135
- Stabilography, 243
- Stainless steel, 247
- Standard method, 160
- Standardization, 330
- Standardized incidence ratio, 524
- Standardized mortality ratios, 171, 182
- Standardized mortality difference, 171
- Static sedentary position, 445
- Statistical method, 183
- Steel, 52, 56
- Steel-pickling operations, 181
- Stillbirth, 135
- Stockholm workshop scale, 275
- Stomach cancer incidence, 524
- Stomach cancer, 412
- Stomach motility, 243
- Stomach neoplasms, 493
- Stooping, 445
- Strain gauge sensor, 323
- Stress prevention, 1
- Stress reactions, 1
- Styrene, 94
- Styrene exposure, 185
- Subclinical neuropathy, 56
- Suicide, 460
- Sulfuric acid, 258
- Sulfuric acid mist, 181
- Supermarket checkers, 165
- Surface active compounds, 473
- Surface-industry sector, 163
- Surveillance, 175
- Suspected damage, 271
- Suspected hand-arm vibration syndrome, 334
- Sweating, 37
- Sweden, 162, 177, 181, 412, 438
- Symptom scale, 271
- Synergistic action, 32
- Tactile discrimination, 279
- Tactility, 286
- Tanneries, 108
- Tannery workers, 529
- Tapping test, 334
- Tar distillation workers, 404
- Taylor-Pelmeur scale, 275
- Tendinitis, 286
- Teratogenic risk, 159
- Tetrachlorodibenzo-dioxin, 157
- Thermal responses, 37
- Thermographic assessment, 352
- Thermography, 356, 385
- Thermoregulation, 352
- Thioethers, 505
- Threshold limit value, 183
- Titanium, 47
- Titanium metal production workers, 47
- Tobacco smoke, 193
- Tobacco smoking patterns, 168
- Toluene concentration, 164
- Tonic vibration reflex, 286
- Total protein, 453
- Toxicity, 81
- Toxicokinetics, 389
- Toxicologic models, 184
- Toxicology, 473
- Training status, 37
- Transiently exposed workers, 56
- Trichloroethylene, 180
- Trigeminal nerve, 473
- Trucking, 129
- Tubular function parameters, 232
- Twisting of trunk, 445
- Two-compartment model, 221
- Two-point discrimination, 380
- Ulnar nerve, 56, 367
- Upper respiratory tract, 170
- Uranium processing facility, 100
- Urinary excretion, 239
- Urinary mutagenicity, 164
- VDT, 255
- VWF, 275
- Vapors, 389
- Variability, 163
- Vehicle exhaust, 505
- Ventilation, 424
- Vibration, 326, 337
- Vibration injury, 326
- Vibration perception threshold, 367
- Vibration sense, 334
- Vibration syndrome, 271, 313, 356, 358, 363
- Vibration threshold, 385

Vibration-exposed complainants, 284
Vibration-induced neuropathy, 317, 375
Vibration-induced vascular injury, 337
Vibration-induced white finger, 32, 275,
286, 305, 309, 323, 348, 352, 380
Vibrometer, 375
Vibrotactile perception, 279, 375, 380
Vibrotactile sense, 375
Vibrotactile stimulation, 317
Video display terminal, 255
Vinyl chloride, 417
Violent death, 176

Viscosity, 358
Waiters, 184
Warm humid environment, 37
Waterborne paints, 473
Wedges, 323
Welders, 247
White fingers, 317
White spirit, 424
Whole blood, 218
Whole-body vibration, 243, 445
Women, 168

Work challenge, 1
Work history, 67, 284
Work load, 146
Work performance, 37
Work-related back injuries, 165
Work-related respiratory diseases, 124
Workers' compensation, 118, 175
Workplaces, 389
Wrist, 290
X-ray measurements, 146
Zinc protoporphyrin 52, 135

ACKNOWLEDGMENTS

The *Scandinavian Journal of Work, Environment & Health* wishes to express its gratitude to the following scientists, who were so kind as to act as reviewers for Volume 13.

Torbjörn Åkerstedt
Irma Åström
Anders Ahlbom
Lorenzo Alessio
Rolf Alexandersson
Kurt Andersson
Joseph Angerer
Mari Antti-Poika
Leif Aringer
Arpo Aromaa
Olav Axelsson
Pier Alberto Bertazzi
David Coggon
Karl-Heinz Cöhr
Pietro Comba
PO Droz
Christer Edling
Harriet Ehrner-Samuel
Kerstin Engström
Markus Färkkilä
David Ferguson
Rainer Frentzel-Beyme
Klaus J Freundt
Francesco Gambale
Martin Gardner
Gösta Gemne
Marc Guillemin
Helena Hänninen
Kenneth Haglid
Timo Hakulinen
William Halperin
Matti Haltia
Kari Hemminki
Gunnar Hillerdal
Bo Holmberg
Matti Huuskonen
Raija Ilmarinen
Jorma Järvisalo

Juhani Juntunen
Bengt Källén
Raija Kalimo
Pentti Kalliokoski
Timo Kauppinen
Åsa Kilbom
Tapio Klen
Bengt Knave
Olli Korhonen
Riitta-Sisko Koskela
Kari Kurppa
Sverre Langård
Timo Leiviskä
Jyrki Liesivuori
Jan Lindsten
Kari Lindström
Veikko Louhevaara
Elsebeth Lyng
Hans Mäkelä
Alison McDonald
Corbett McDonald
Olli Miettinen
Ole Møller Jensen
Gunnar Mowé
Eeva Nikula
Henrik Nordman
Tor Norseth
Tuula Nurminen
Timo Partanen
Richard Peto
Pirkko Pfäffli
Magnus Piscator
Richard Porter
Eero Priha
Ilmari Pyykkö
Vesa Riihimäki
Kåre Rodahl
Ingmar Rosén

Pekka Roto
Ragnar Rylander
Jorma Saari
Heikki Saarni
Rodolfo Saracci
Heikki Savolainen
Antony Seaton
Anna Maria Seppäläinen
Martti Siimes
Lorenzo Simonato
Staffan Skerfving
Marja Sorsa
Jukka Starck
Eva Støttrup Hansen
Göran Struwe
Ole Svane
Eero Taskinen
Helena Taskinen
Lyly Teppo
Kari Teramo
Erkki O Terho
Duncan C Thomas
Jan Thorson
Sakari Tola
W Tordoir
Syvert Torud
Antti Tossavainen
Duncan Troup
Ulf Ulfvarson
Harri Vainio
Katherine Venables
Olof Vesterberg
Eira Viikari-Juntura
Henrik Vinterberg
Arne Wennberg
Gustaf Wickström
Tadeusz Wieloch

Published by

Institute of Occupational Health, Finland
National Institute of Occupational Health, Sweden
Swedish Medical Society, Section for Occupational Medicine and Environmental Health, Sweden
Work Research Institutes, Norway
The Working Environment Fund, Denmark

Address: Topeliuksenkatu 41 a A, SF-00250 Helsinki, Finland

Subscription for 1987 (6 regular issues plus supplement): FIM 500.00 surface mail
FIM 600.00 air mail

